Product datasheet

OSRAM

LEDriving ADAPTER 64210DA04

Accessories for LED retrofit lamps





Making LED upgrades fit right in

The mounting brackets offer an easy installation and compatibility for a variety of cars. Compatibility can be checked on the OSRAM website. Only the combination of OSRAM NIGHT BREAKER LED lamps in connection with the official OSRAM accessories - LEDriving ADAPTER and LEDriving SMART CANBUS (where required) - is permitted.

Product datasheet

Technical data


Product information

Application (Category and Product specific)	Accessories for LED retrofits
---	-------------------------------

General Product Information

Global order reference	64210DA04
------------------------	-----------

Physical Attributes & Dimensions



Diameter	34.0 mm
Product weight	4.00 g
Length	34.0 mm

Lifetime Data

Guarantee	3 years

Capabilities

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Primary article identifier	4062172175029			
Candidate list substance 1	Lead			
CAS No. of substance 1	7439-92-1			
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.			
Declaration no. in SCIP database	0933e069-68fb-4d4d-bbb4-094252b65d02			

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172175029	LEDriving Adapter 64210DA04	Folding carton box 2	100 mm x 80 mm x 60 mm	0.48 dm ³	31.00 g
4062172175036	LEDriving Adapter 64210DA04	Shipping carton box 20	415 mm x 109 mm x 134 mm	6.06 dm ³	438.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File



User instruction LEDriving ADAPTER

Legal advice

Only the combination of OSRAM NIGHT BREAKER LED lamps in connection with the official OSRAM accessories - LEDriving ADAPTER and LEDriving SMART CANBUS (where required) - is permitted.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

